

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation - CPR) this certificate applies to the construction product

Particleboard of the technical classes P2 with increased reaction to fire properties

according to the product specification listed in the current addendum to this certificate placed on the market by

Company
FUNDERMAX GMBH
Bickfordstraße 6
AT-7201 Neudörfel

and produced in the manufacturing plant

AT-7201 Neudörfel, Bickfordstraße 6

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13986:2004+A1:2015

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

CERTIFICATE OF CONSTANCY OF PERFORMANCE

Certificate number: 1359-CPR-0681

Date of first issue: 12.05.2016

Date of issuance: 28.06.2022

This certificate will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

For the validity of this certificate see www.holzforchung.at.



Dr. Andreas Neumüller
Authorised signatory



Dr. Manfred Brandstätter
Head of the Certification Body

Annex to Certificate 1359-CPR-0681

Date of issue: 28.06.2022

Scope of certification for the following products:

Product:	Particleboards for interior fitments for use in dry conditions with increased reaction to fire properties
Technical class:	P2 according to EN 312
Thickness range:	12 – 38 mm
Density:	minimum 650 kg/m ³
Fire performance:	B-s1, d0
Formaldehyde emission class:	E1